




LANDSCAPE
PRODUCTS



Feel the difference.





PAVERS

- Presidio **08**
- Matrix Finish **11**
- Villanova **12**
- Hydr'eau Pave **16**
- Ridgefield Plus **18**
- Centurion **22**
- Arcadia **24**
- Colonnade **26**
- Fineline **28**
- Classic Series **29**
- Cassina **30**
- Cassina Plus **31**

ENVIRO PRODUCTS

- Permeable Paving **34**
- Hydr'eau Pave **35**
- Enviro Pave **36**
- Turf-Slab **37**

WALLS

- Fieldstone **40**
- Compac Hewnstone **42**
- Verazzo **44**
- Castlerok 2 **45**
- Ortana Plus **46**
- Ortana **48**
- Gardenia **50**
- Castelo **52**
- Modeco **53**
- Alterra **54**
- Curbs **55**

RESOURCES

- Wall Details **56**
- Laying Patterns **58**
- Details **61**
- Colours **62**
- Accessories **64**
- Specifications **66**
- Online Tools **68**
- Architectural Products **70**
- Integrated Products **72**



President's Message

Famed architect Louis Kahn once said; *"Even a brick wants to be something... It aspires... wants to be something more than it is; something better than it is, and that is what we must be."*

Architecture plays a very important role in society. It shapes how we live and often our own cultural identity as well. How our surroundings work in concert with function and aesthetics affect us more than we realize. It's no overstatement to say how much impact colours, textures, size, shape and even the type of materials used in a building or living space can have. We take all those things into consideration when we develop and produce our wide selection of products.

I'm proud to say Brampton Brick builds on dreams.

As an integrated masonry and landscape products provider, we are the **ONE Trusted Source** for quality, durability and long-lasting style. It's this trust, placed in us by our customers, that keeps us focused on our goal; to lead the way in innovation, affordability and lifetime satisfaction.

By choosing our products, service and commitment to leading-edge innovation, you can truly "Feel the Difference". We are devoted to engineering masonry and landscaping materials that stimulate an instant response, so when you see driveways, homes, commercial buildings, or backyard landscaping projects, you know they were constructed with products from Brampton Brick.

When you purchase Oaks Concrete Products (a division of Brampton Brick Limited), you make an investment in longevity, in stunning aesthetics and in us. We take that investment seriously, aspiring to be the industry leader, meeting the needs of clients and staying ahead of market trends. We are motivated to strive to do more, to do better. From our state of the art production facilities, to quality control, distribution and customer service, we ensure our products are made to last while exceeding our customers' dreams.

Brampton Brick is always moving forward, striving to develop innovative products with technology, aesthetics and the environment in mind. With products such as Hydr'eau Pave and Enviro Pave, we have created permeable pavers that offer modern solutions to storm water challenges. Rainfall passes through the pavers to recharge the groundwater or be recycled through municipal sewer systems, building in sustainability. Staying at the forefront of design, Elegante clay bricks are a one of a kind product that offers the look of stone with the ease and durability of brick, while Vivace concrete masonry products beautifully harmonize with Oaks pavers and wall products.

As an involved corporate citizen, Brampton Brick invests in people by contributing to local economies, providing employment opportunities and working with local suppliers, and providing donations to local charities and associations. Our strength comes from our relationships with people, now and always.

Thank you.
Jeffrey G. Kerbel
President and CEO
Brampton Brick Limited



Oaks Concrete Products Lifetime Warranty

Oaks Concrete Products are manufactured to the highest quality standards in a tightly controlled, fully monitored production environment. Oaks Concrete Products are guaranteed to be free of material defects for as long as the original Purchaser (Homeowner), owns the residence where the product(s) are installed. Product found to be defective will be replaced without cost. Colour matching cannot be guaranteed and replacement labour is not included. The warranty is subject to normal 'residential' use conditions.

Limitations & Exclusions

This Warranty does not apply to damage, deterioration or colour change to the concrete products resulting from:

1. Improper installation procedures inconsistent with the Interlocking Concrete Paving Institute (ICPI) installation methodology and guidelines.
2. Breakage caused from overloading, impact or sub-grade settlement.
3. Discolouration caused by staining, improper sealing, pollution or abrasion.
4. Use of de-icing chemicals other than sodium chloride.
5. Efflorescence – this is not a material defect.



Paver - Hydr'eau Pave Silversand, Walls - Verazzo Talisman



Paver - Ridgefield Plus Executive


explore creativity



Paver - Ridgefield Plus Executive









Wall - Ortana Plus Havana



Wall - Verazzo Chartan

embrace form



Wall - Compac Hewnstone Buff



explore



P A V E R S

Transforming any outdoor living space and bringing it to life with luxury, superior style and comfort; that's what Oaks Paving Stones do best. A myriad of colour and texture choices, sizes and design options allow for unlimited originality, reflecting your personal style with unparalleled appeal. You have only to dream it and Oaks Paving Stones will make your project the reality you will cherish for a lifetime.

PRESIDIO

Clean lines and stylish allure; that's what Presidio paving stones bring to any design project. With subtle chamfered edges, random lengths and two widths, these **80 mm (3.15")** thick linear paving stones are suitable for light to moderate vehicular and pedestrian usage. Reduced joint spacing complies with wheelchair access specifications and a choice of appealing colours offer endless design options.

Combo Bundle Layout by Layer



Combo Bundle (all 6 sizes)

Stone Type	Width (mm)	Width (in)	Length (mm)	Length (in)
Top Left	165	6.5"	398	15.67"
Top Right	123	4.84"	298	11.73"
Middle Left	123	4.84"	498	19.61"
Middle Right	165	6.5"	298	11.73"
Bottom Left	165	6.5"	498	19.61"
Bottom Right	123	4.84"	398	15.67"


BUFF


CHAMPAGNE

new

ONYX

MARBLE GREY





linear




MATRIX FINISH

INTRODUCING MATRIX FINISH!

A mass of fine-grained rock in which gems, fossils, etc. are embedded.

Matrix is a premium washed aggregate finish resulting from a unique process, exposing the natural beauty of aggregates like granite, quartz and limestone. Matrix is suitable for vehicular and pedestrian traffic and offers superior slip and skid resistance. Matrix finish is available in both Presidio and Avenue pavers. An exceptional finishing touch accent for your paver and wall designs.

Available Sizes



Presidio

All 6 sizes (see page 8)



Avenue

Width 203 mm (8")
Length 304 mm (12")

Note: Avenue Matrix Finish available in other Avenue sizes and other colours, by customer order – minimum quantities apply.




RAVENSTONE BLACK



Paver - Presidio Champagne, Wall - Ortana Greyfield, Both - Presidio Matrix Ravenstone Black inset

VILLANOVA

A natural stone look, with accentuated contours that define Villanova's unique characteristics. This large scale paver has an **80 mm (3.15")** thickness suitable for both vehicle and pedestrian traffic. Villanova's three piece paving system allows a natural stone look with ranges of earth tones that emphasize any landscape décor. Design flexibility is endless with Villanova's 8x16, 16x16 and 24x16 sizes. Give your project an upscale look using the fifteen different textures of the 8x16 rectangle in the timeless herringbone pattern or enhance the scale by adding the square and large rectangle units.



Onyx available in 8x16 stone size. Ideal for soldier coursing or banding.



distinct

VILLANOVA





HYDR'EAU PAVE


Distinctively textured with the look of weathered natural stone elegance, Hydr'eau Pave permeable paving stones are designed to reduce excessive rainfall runoff. These pavers offer optimum flow of water through the joints, into the base, sub-base and sub-soil, reducing erosion and preventing sediment build-up. Manufactured in **80 mm (3.15")** thickness, making it perfect for pedestrian and moderate vehicular traffic.

Packaged in a random pattern layout, design options are endless.

Combine with other Oaks 80 mm (3.15") thick products to create unique designs.

See page 34 for more information on Oaks Enviro Products & permeable pavers.

Combo Bundle Layout by Layer



4x4 Stone
Width 100 mm (3.94")
Length 100 mm (3.94")



4x8 Stone
Width 100 mm (3.94")
Length 200 mm (7.87")



8x8 Stone
Width 200 mm (7.87")
Length 200 mm (7.87")



8x12 Stone
Width 200 mm (7.87")
Length 300 mm (11.81")

Combo Random Bundle



GOLDEN ASH



SILVERSAND



ONYX

Onyx available in all combo sizes.
Ideal for sailor soldier coursing.

Note: Sailor soldier is the running bond 1,2,3 type of soldier course in this case.

balance












RIDGEFIELD PLUS

Dynamic textures and modern engineering place Ridgefield Plus in a class all its own. With the look of hand cut stone, paired with lasting durability, this product is well suited to high traffic areas such as driveways and walkways. Manufactured at a **70 mm (2.76")** thickness, Ridgefield Plus is a paver that's as beautiful as it is solid.

Versatility of scale with your choice of small or large combo bundles and the individually packaged 12x12 stone.

Combine with other 70 mm (2.76") pavers to create unique designs.




		 <p>12x12 Stone Width 300 mm (11.81") Length 300 mm (11.81")</p>		<p>Separate Bundle</p>  <p>EXECUTIVE</p>
		 <p>8x12 Stone Width 200 mm (7.87") Length 300 mm (11.81")</p>		
<p>Small Combo Bundle</p>	 <p>4x8 Stone Width 100 mm (3.94") Length 200 mm (7.87")</p>			<p>Large Combo Bundle</p>  <p>CEDAR BLEND</p>
	 <p>8x8 Stone Width 200 mm (7.87") Length 200 mm (7.87")</p>	 <p>12x12 Stone Width 300 mm (11.81") Length 300 mm (11.81")</p>		
	 <p>8x12 Stone Width 200 mm (7.87") Length 300 mm (11.81")</p>	 <p>12x16 Stone Width 300 mm (11.81") Length 400 mm (15.74")</p>		
		 <p>SANDSTONE</p>		 <p>VAUGHAN</p>

A high-angle photograph of a modern outdoor pool deck. The pool is curved and features a mosaic tile interior. The deck is paved with large, rectangular stone pavers in shades of brown and grey. To the left, there is a circular fire pit and a curved patio sofa with light-colored cushions. In the background, there is a wooden fence, some landscaping with small shrubs, and two tall, thin outdoor lamps. The word "modern" is overlaid in a large, white, lowercase font across the bottom center of the image.

modern

RIDGEFIELD PLUS





CENTURION

The charming weathered look of Centurion captures the essence of rugged beauty. It is **70 mm (2.76")** thick ensuring stability, allowing for all kinds of traffic, both vehicular and pedestrian. Ranging in sizes from Small to Double Jumbo, Centurion offers endless options for project design and the peace of mind knowing it will last a lifetime.

This paver offers immense design flexibility as all stone units are packaged individually. Also available in a combo bundle as shown below.



Small Stone
Width 68 mm (2.68")
Length 138 mm (5.43")

Square Stone
Width 138 mm (5.43")
Length 138 mm (5.43")

Standard Stone
Width 138 mm (5.43")
Length 208 mm (8.19")

Jumbo Stone
Width 208 mm (8.19")
Length 278 mm (10.94")

Quad Stone
Width 278 mm (10.94")
Length 278 mm (10.94")

Double Jumbo Stone
Width 278 mm (10.94")
Length 418 mm (16.46")

Dark Oak & Onyx available in Standard & Jumbo stones only.

Optional Combo Bundle

SANDALWOOD	EXECUTIVE
CHAMPAGNE	BUFF MIX
DARK OAK	ONYX



rugged

ARCADIA

With their distinctive rounded corners, Arcadia paving stones make winding pathways and circular patios appealing possibilities for any home. The look of cobblestone instills a feeling of days gone by and the strength of these **70 mm (2.76")** stones will deliver a lifetime's worth of enjoyment.

Available in three proportionate sizes, as well as a circle kit, Arcadia offers limitless serpentine, circular and modular design options for creative geniuses everywhere.



Small Stone
Width 69 mm (2.72")
Length 138 mm (5.43")



Square Stone
Width 138 mm (5.43")
Length 138 mm (5.43")



Large Stone
Width 138 mm (5.43")
Length 207 mm (8.15")

Combo Bundle



GREYSTONE




SANDSTONE





CHARTAN

Serpentine Design



Circle Starter Kit also available





unique

COLONNADE

The allure of old world classic styling gives Colonnade a richness that is at home in any setting. Complementing natural stone accents with the look of hand-crafted granite, this product is **60 mm (2.36")** thick making it compatible with light pedestrian and vehicular traffic.

Absolute design flexibility with 5 separately packaged stone sizes.

Easily shift from smaller scale 3 stones to 3 larger stones for large scale design options.




3x6 Stone
Width 75 mm (2.95")
Length 150 mm (5.91")



6x6 Stone
Width 150 mm (5.91")
Length 150 mm (5.91")



6x9 Stone
Width 150 mm (5.91")
Length 225 mm (8.86")




9x9 Stone
Width 225 mm (8.86")
Length 225 mm (8.86")



9x12 Stone
Width 225 mm (8.86")
Length 300 mm (11.81")

Dark Oak & Onyx
available in 6x9
stone only.





natural

F I N E L I N E

Versatile, stylish and appealing, Fineline is a paving stone that accents any home. With a thickness of **60 mm (2.36")**, this product offers a refined elegance that suits pool decks, basketball courts and wheelchair ramps. Available in four unique module sizes, with tight joint spacing and subtle chamfers, Fineline's smooth surface offers unlimited design options and unrivaled beauty.

Paver - Fineline Silversand



Combo Bundle



3x6 Stone

Width 75 mm (2.95")
Length 150 mm (5.91")



6x9 Stone

Width 150 mm (5.91")
Length 225 mm (8.86")



6x6 Stone

Width 150 mm (5.91")
Length 150 mm (5.91")



9x9 Stone

Width 225 mm (8.86")
Length 225 mm (8.86")

SILVERSAND

TIMBERWOOD

GREYFIELD

refined

CLASSIC SERIES

Honouring tradition is what Classic Series is all about. Choose either subdued tones or bolder hues with confidence, knowing with a **60 mm (2.36")** thickness, these paving stones will support both light vehicle and pedestrian traffic. Available in 4X8, 8X8 and 12x12, Classic Series pavers are individually packaged, allowing for greater design flexibility with one size or a combination of all three. This product is the finishing touch for any home.



4x8 Stone

Width 100 mm (3.94")
Length 200 mm (7.87")



8x8 Stone

Width 200 mm (7.87")
Length 200 mm (7.87")



12x12 Stone

Width 300 mm (11.81")
Length 300 mm (11.81")



GREYFIELD



HARVEST




CHARCOAL
*Available in 4x8 only



HERITAGE




NORTHERN
*Available in 4x8 only



Paver - Classic Series Northern

sleek



Paver - Classic Series Greyfield

CASSINA


With rich, warm colours and textures and distinctive bull-nose edges, Cassina paving stones provide versatility and comfort for applications such as pool coping, step treads and seat walls.

Cassina pavers have a standard finish and a thickness of **70 mm (2.76")**. This product offers unlimited creativity when used in combination with other 70 mm (2.76") and 60 mm (2.36") paving stones and wall products.



Cassina Coping Stone
Width 203 mm (8")
Length 305 mm (12")

The 8" width means fewer cuts on a radius pool coping.



BUFF



CHARCOAL



TIMBERWOOD



Coping - Cassina Charcoal Paver - Colonnade Silver Sand

profile


CASSINA PLUS

Building on the beauty and durability of Cassina paving stones, Cassina Plus allows a more weathered look for projects of any scale. Offering the same comfort of rounded corners and softened edges, Cassina Plus is a rugged product that stands up to high traffic usage with its **70 mm (2.76")** thickness. Perfect for pool edging, steps, wall coping and patio trim, Cassina Plus offers limitless design creativity when paired with other 70 mm (2.76") and 60 mm (2.36") paving stone products.



Cassina Plus Coping Stone
Width 203 mm (8")
Length 305 mm (12")

The 8" width means fewer cuts on a radius pool coping.




BUFF



CHARCOAL



TIMBERWOOD



Coping - Cassina Plus Charcoal Paver - Ridgely Cedar Blend

comfort



dream



ENVIRO PRODUCTS

Quality products that work in harmony with nature are what Oaks Enviro Products are all about. Ecologically engineered, these classically attractive permeable pavers effectively prevent erosion and conform to municipal storm water regulations. By allowing water to pass through and escape to a special pavement base, water can then be stored or drain into the soil to recharge the groundwater. Oaks Enviro pavers make puddles a thing of the past by reducing excessive rainfall runoff and eliminating sediment build-up. Oaks Enviro Products come in styles that offer limitless design options.

OAKS PERMEABLE PAVEMENT SYSTEMS


Imagine no more puddles, no more sloping pavements towards drains and no more burden placed on existing over-taxed stormwater systems reducing the potential for flooding. Oaks permeable products are uniquely designed pavers that allow storm water to pass through the pavement surface into a special pavement base that allows water to be stored or drain into the natural soil to recharge groundwater - just like nature intended. We can all do our part to manage stormwater and improve the environment by installing permeable pavers in our home.




Benefits:

- Eliminates surface water runoff
- Captures peak flow rainfall events and provides contaminant filtration on first flush
- Recharges groundwater through the paver joint and base structure aggregates
- Reduces erosion and sediment build-up by undesirable runoff, promoting stream and lake health
- Filters surface water removing pollutants via clear, crushed aggregate used in joint spaces and base layer structures
- Compliant with most levels of government for Best Management Practices (BMP's) regarding stormwater management regulations

Stormwater Management



Permeable Pavement System




HYDR'EAU PAVE

Distinctively textured with the look of weathered natural stone elegance, Hydr'eau Pave permeable paving stones beautifully merge form and function into one. Designed to reduce excessive rainfall runoff, these pavers offer optimum flow of water through the joints, into the base, sub-base and sub-soil, reducing erosion and preventing sediment build-up. Manufactured in **80 mm (3.15")** thickness, making it perfect for pedestrian and moderate vehicular traffic. Packaged in a random pattern, design options are endless.

Combine with other Oaks 80 mm (3.15") thick products to create unique designs in pavements.



Paver - Hydr'eau Pave Golden Ash



Combo bundle layout by layer:

Achieve random look design even in machine installed applications.

TYPICAL USES: Parking Lots / Municipal Sidewalks, Lanes, Boulevards & Public Squares / Recreational & Sporting Event Entrances, Plazas, & Parking Lots / Subdivision Roads, Entrance Features, & Residential Driveways & Patios



4x4 Stone

Width 100 mm (3.94")
Length 100 mm (3.94")



4x8 Stone

Width 100 mm (3.94")
Length 200 mm (7.87")



8x8 Stone

Width 200 mm (7.87")
Length 200 mm (7.87")



8x12 Stone

Width 200 mm (7.87")
Length 300 mm (11.81")

Combo Random Bundle



GOLDEN ASH



SILVERSAND



ONYX



Paver - Hydr'eau Pave Silversand

ENVIRO PAVE

Attention to detail that's kind to the environment, that's the allure of Oaks Enviro Pave permeable paving stones. As handsome as they are functional, these **80 mm (3.15")** thick stones serve double duty; with a built-in ecological system offering maximum protection against rainfall runoff and reducing erosion. Available in natural colour as well as custom colour blends (min. quantities apply), Enviro Pave permeable paving stones are compatible with moderate to heavy vehicular and pedestrian traffic usage.

TYPICAL USES: Parking Lots /
Recreational & Sporting
Event Entrances & Plazas /
Municipal Sidewalks,
Lanes, Boulevards & Public
Squares / Subdivision
Roads, Entrance Features
& Residential Driveways



Width 200 mm (7.87")
Length 200 mm (7.87")



Bottom Overflow Channel



Paver - Enviro Pave Natural



Pavers - Enviro Paves in custom colour Siversand

TURF - SLAB

With a thickness of **80 mm (3.15")**, Oaks Turf-Slab is the perfect fit for areas prone to soil or turf erosion. Designed to complement either a granular or natural turf fill, these stones provide stability to pond linings, vehicular access roads, event parking areas and environmentally sensitive locations. In natural colour, Turf-Slab can also be mechanically installed, reducing both time and labour costs.

TYPICAL USES: Emergency & Service Vehicle Access Routes / Slope Erosion Protection / Retention Pond Linings and Vehicular Access Roads / Ditch & Channel Linings / High Use Turf Areas like Event Parking and Public Parking Areas / Environmentally Sensitive Area Erosion Protection / Small Lake Boat Launching Ramps



Width 400 mm (15.76")
Length 600 mm (23.62")



Paver - Turf-Slab Natural

green

embrace



W A L L S

Much more than just retaining!

When your project requires steps, pillars, a BBQ, fireplace, kitchen 'al fresco', or seat walls – Oaks wall products offer an architectural edge. Unparalleled beauty and functionality complement a variety of landscape projects, elevating any design with the union of strength and splendor. Choosing Oaks wall products is building on quality, superior aesthetics and durability.

FIELDSTONE

With its rough cut appearance and solid construction, Oaks Fieldstone products bring to life creative features such as garden walls, planters, steps or entrance pillars in either random or structured patterns. Rugged Fieldstone heightens the look of any design and its built-in rear retention lip allows for greater sustainability. Tumbled units are pre-split, available in both 90 mm (3.54") and 135 mm (5.31") heights.

Use units as a single stone height wall or combine (90/135 mm) together for simple, cost effective construction options.

Go to Oakspavers.com for Fieldstone wall patterns & details.

90 mm Units



Taper Unit #1

Width 176 mm (6.93")
Height 90 mm (3.5")
Depth 260 mm (10.24")



Taper Unit #2

Width 266 mm (10.47")
Height 90 mm (3.5")
Depth 260 mm (10.24")



Standard Unit #3

Width 352 mm (13.86")
Height 90 mm (3.5")
Depth 260 mm (10.24")



Standard Unit #4

Width 442 mm (17.40")
Height 90 mm (3.5")
Depth 260 mm (10.24")

135 mm Units



Taper Unit #1

Width 176 mm (6.93")
Height 135 mm (5.31")
Depth 260 mm (10.24")



Taper Unit #2

Width 266 mm (10.47")
Height 135 mm (5.31")
Depth 260 mm (10.24")



Standard Unit #3

Width 352 mm (13.86")
Height 135 mm (5.31")
Depth 260 mm (10.24")




Standard Unit #4

Width 442 mm (17.40")
Height 135 mm (5.31")
Depth 260 mm (10.24")



Coping Unit

Width 460 mm (18.11")
Height 75 mm (2.95")
Depth 305 mm (12.01")



GREYSTONE

SILVERSAND

SANDSTONE





charm

COMPAC HEWNSTONE

Strength of scale with a smoothly hewn textured natural stone appearance gives Compac Hewnstone its unique enchantment. A bolder single block wall system that offers an economical solution for your project needs.

The impeccable style of Compac Hewnstone is a strong complement to larger scale pavers such as Villanova.



Standard Unit

Width 457 mm (18")
Height 203 mm (8")
Depth 305 mm (12")



Corner Unit

Width 381 mm (15")
Height 203 mm (8")
Depth 152 mm (6")



Coping Unit

Width 457 mm (18")
Height 102 mm (4")
Depth 330 mm (13")



Pins included.



BUFF




GREYSTONE



TALISMAN





gentle

VERAZZO

A stunningly rugged **2-sided** wall with an “old world stone” appearance. Curvilinear planter wall design, free standing seat walls and focal points, such as fireplaces and water features, are easily achieved with Verazzo’s three piece stone system.

Varying stone lengths and angles enhance installation in even the most challenging designs.



*All units tumbled on both sides.



Small Unit

Outside width 152 mm (6")
 Inside width 99mm (3.9")
 Height 152 mm (6")
 Depth 267 mm (10.5")



Medium Unit

Outside width 254 mm (10")
 Inside width 200mm (7.9")
 Height 152 mm (6")
 Depth 267 mm (10.5")

Combo Bundle



TALISMAN



Large Unit

Outside width 410 mm (16")
 Inside width 351mm (13.83")
 Height 152 mm (6")
 Depth 267 mm (10.5")



GREYSTONE



Corner Unit

Width 200 mm (7.87")
 Height 152 mm (6")
 Depth 300 mm (11.81")



Coping Unit

Width 457 mm (18")
 Height 76 mm (3")
 Depth 305 mm (12")



CHARTAN



Pins included.

endure

CASTLEROK 2

A one block system true to the "Less is More" design mindset. Castlerok 2 makes the construction of spectacular pillars, planters, BBQs, fireplaces and more! Efficient and cost effective with a weathered appearance and embossed texture facing – Castlerok 2 enhances the installation in both linear or random pattern designs where both faces can be visible.



Standard Unit

Width 305 mm (12.00")
Height 102 mm (4.02")
Depth 203 mm (8.00")

*Concrete adhesive is required between rows for optimum stability.



SANDSTONE



GREYSTONE



CHARTAN



VAUGHAN



strong

ORTANA PLUS

Building on the appeal and ease of Ortana, Oaks Ortana Plus wall blocks offer a more vintage, weathered option. Available in a pleasing palette of subtle earth tones, Ortana Plus complements any design project. With a rear tongue removal feature, these blocks allow for a consistent appearance in both vertical walls and corner units. Ortana Plus can be easily converted for designs that feature double-sided walls, seat walls and driveway borders. This durable product offers limitless applications as timeless as they are appealing.



Standard Unit

Width 200 mm (7.87")
Height 150 mm (5.91")
Depth 300 mm (11.81")



90° Corner Unit

Width 300 mm (11.81")
Height 150 mm (5.91")
Depth 200 mm (7.87")



Tapered Unit

Width 200 mm (7.87")
Height 150 mm (5.91")
Depth 300 mm (11.81")



1' Split-Face Coping Unit

Width 305 mm (12.00")
Height 75 mm (2.95")
Depth 300 mm (11.81")



Extended Unit

Width 200 mm (7.87")
Height 150 mm (5.91")
Depth 450 mm (17.71")
(Custom Order)



HAVANA



MAHOGANY




TIMBERWOOD



DESERT



GREYFIELD



texture

O R T A N A

Refined elegance is what defines Oaks Ortana. Available in a wide array of colour combinations and textures that build interest, Ortana creates unsurpassed charm in single and double-sided walls, driveway borders, steps and embankments. Its exclusive split-tongue design and hand notches allow for vertical or set back installation, saving both time and cost. Use 90° corner units to easily create complementing pillars.



Standard Unit

Width 200 mm (7.87")
Height 150 mm (5.91")
Depth 300 mm (11.81")



Tapered Unit

Width 200 mm (7.87")
Height 150 mm (5.91")
Depth 300 mm (11.81")



Extended Unit

Width 200 mm (7.87")
Height 150 mm (5.91")
Depth 450 mm (17.71")
(Custom Order)



90° Corner Unit

Width 300 mm (11.81")
Height 150 mm (5.91")
Depth 200 mm (7.87")



2' Split-Face Coping Unit

Width 610 mm (24.02")
Height 75 mm (2.95")
Depth 300 mm (11.81")



1' Split-Face Coping Unit

Width 305 mm (12.00")
Height 75 mm (2.95")
Depth 300 mm (11.81")





drama

GARDENIA

With the traditional look of stone and outstanding functionality for both tight or relaxed curves, Oaks Gardenia wall blocks offer endless design options. Subtle earth tones accentuate landscape projects of any size or scope. Units are pre-split which allow for greater ease of installation of garden walls, tree surrounds or edging. Gardenia blocks boast a double-wing feature which offers greater ease of curved wall construction.



Standard Unit

Width 200 mm (7.87")
Height 150 mm (5.91")
Depth 200 mm (7.87")



9" Coping Unit

Width 615 mm (24.21")
Height 75 mm (2.95")
Depth 220 mm (8.66")



90° Corner Unit

Width 300 mm (11.81")
Height 150 mm (5.91")
Depth 200 mm (7.87")



12" Step Tread

Width 615 mm (24.21")
Height 75 mm (2.95")
Depth 315 mm (12.40")



NATURAL



Curb-N-Wall Unit

Width 600 mm (23.62")
Height 150 mm (5.91")
Depth 200 mm (7.87")
For colours, see pg. 55 (Curbs)



MAHOGANY




GREYSTONE



SANDSTONE



CHARTAN



versatile

CASTELO

The perfect balance of rugged charm and flexibility is what defines Oaks Castelo wall blocks. The right choice for tree surrounds, garden walls or edging, these blocks offer limitless variety for landscaping projects that demand unsurpassed usability. Castelo's rich earth tones complement any setting and pre-split units allow simple, stress-free installation in designs requiring snug inside and outside curves.

rustic



Standard Unit

Outside width 184 mm (7.25")
 Inside width 140 mm (5.51")
 Height 89 mm (3.50")
 Depth 184 mm (7.25")



Coping Unit


Outside width 184 mm (7.25")
 Inside width 140 mm (5.51")
 Height 89 mm (3.50")
 Depth 184 mm (7.25")



SANDSTONE



MAHOGANY



Tree Ring

26 pcs. per course
 Makes a 60" dia. circle.



CHARTAN




GREYSTONE



MODECO

Where modern sensibility and vintage style combine, you'll find Oaks Modeco wall blocks. Lightweight and attractive, these blocks make installation a pleasure as they create garden walls, tree surrounds and edging of unrivalled elegance. The rough-hewn blocks come pre-split on both sides, saving time and effort. Modeco delivers on the promise of worry-free appeal.



Standard Unit

Outside width 184 mm (7.25")
Inside width 140 mm (5.51")
Height 89 mm (3.50")
Depth 184 mm (7.25")



Coping Unit


Outside width 184 mm (7.25")
Inside width 140 mm (5.51")
Height 89 mm (3.50")
Depth 184 mm (7.25")



SANDSTONE



MAHOGANY



Tree Ring

26 pcs. per course
Makes a 60" dia. circle.



CHARTAN



GREYSTONE

simple

ALTERRA

PROTERRA coming 2013!

The next generation of modular engineered commercial retaining wall systems.

Form and function merge into one with Oaks Alterra wall stones. When large scale projects demand a steadfast product that is both attractive and reliable, Alterra is the perfect match. Its split-face wall system allows for either vertical or set back installations, for most typical gravity wall construction to 6' (1829 mm) or to 10' (3048 mm) with the extended unit. Engineered for higher height requirements, typical 40' (12,192 mm), with grid reinforced stabilization.



Standard Unit

Width 1000 mm (39.37")
Height 185 mm (7.28")
Depth 500 mm (19.69")



Coping Unit

Width 1000 mm (39.37")
Height 185 mm (7.28")
Depth 500 mm (19.69")



Corner Left Unit

Width 925 mm (36.42")
Height 185 mm (7.28")
Depth 500 mm (19.69")



End Coping Left Unit

Width 1000 mm (39.37")
Height 185 mm (7.28")
Depth 500 mm (19.69")

Extended Unit (not shown)

Width 1000 mm (39.37")
Height 185 mm (7.28")
Depth 925 mm (36.42")



Walls - Alterra Natural

durable

CURBS

The stunning appeal of your walkway or driveway is elevated infinitely by using Oaks Curbs. Available in a wide array of thicknesses, lengths, textures and attractive colour blends,

Oaks Curbs provide the finishing touch, enhancing the serenity of the surrounding landscape and providing added structural support to paver installations.



Curb - Castlerok 2 Greystone



CASTLEROK 2

Option 1

Length 305 mm (12.00")
Width 102 mm (4.02")
Height 203 mm (8.00")

Option 2

Length 305 mm (12.00")
Width 203 mm (8.00")
Height 102 mm (4.02")

Option 3

Guillotine-split length makes 2 pcs.
Length 305 mm (12.00")
Width 101 mm (4.00")
Height 101 mm (4.00")

SANDSTONE


VAUGHAN

GREYSTONE

CHARTAN

NATURAL

GARDENIA CURB-N-WALL



Option 1

Length 600 mm (23.62")
Width 150 mm (5.91")
Height 200 mm (7.87")

Option 2

Length 600 mm (23.62")
Width 200 mm (7.87")
Height 150 mm (5.91")

GREYFIELD

BROWN

NATURAL

CHARCOAL

BROWN

Length 1 m (39.37")
Width 150 mm (5.91")
Height 150 mm (5.91")



METRE CURB



Curb - Castlerok 2 Greystone



Curb - Gardenia Curb-N-Wall Greyfield



Curb - Metre Curb Natural

CONSTRUCT


Properly installed walls will provide many years of enjoyment.

Retaining & Landscape Wall Capabilities.

WALL BLOCK TYPE	Installation Type	Max. Height "without" surcharge at top of slope		Adhesive Requirements	Setback Angle	Minimum Radius	
		Inches	Millimetres			Inches	Millimetres
Modeco/Castelo	Vertical	15	384	yes	0	30.25	768
Gardenia	Setback	32	825	no	5	20.75	527
Gardenia Coping - 9"	Setback	36	900	no	6	n/a	n/a
Gardenia Step Tread - 12"	Setback	47.5	1207	no	14	n/a	n/a
Gardenia Curb-N-Wall	Setback	32	825	no	5	n/a	n/a
Castlerok 2	Vertical	19	462	yes	0	n/a	n/a
Ortana	Setback	44	1125	no	7	46.75 Tapered	1187
Ortana Plus	Setback	44	1125	no	7	46.75 Tapered	1187
Fieldstone 90mm	Setback	38.5	975	no	7.6	59	1500
Fieldstone 135mm	Setback	40	1020	no	7.6	59	1500
Fieldstone 90/135mm combo	Setback	43.75	1110	no	7.6	59	1500
Keystone Verazzo	Vertical	21	534	no	0	34	864
Keystone Verazzo	Setback	36	900	no	7	34	864
Keystone Compac Hewnstone	Near Vertical	28	712	no	2	72	1829
Keystone Compac Hewnstone	Setback	36	900	no	8.8	72	1829
Alterra Standard	Setback	72.75	1850	no	7	n/a	n/a


Note: Concrete adhesive is recommended with all coping or cap stone and in applications where the potential of interaction with the product can result in pieces being removed from place.

Construction for retaining and terraced walls, that add balance of strength and design.




Angles or Curves... the choice is yours.


90° Corners



Round Corners



Curves



For more detailed instructions, visit us online at www.oakspavers.com


Step design options that make an impactful entrance.



Gradual Steps



Curved Steps



Straight Flight Steps

It's all in the Details.
Seat walls and pillars can add function and beauty to outdoor space.

Seating Walls

To add seating walls use a Bullnose Paver. Cassina or Cassina Plus offers versatile design possibilities, at the same time providing you with the security of a comfortable fit.



Seat Walls using Bullnose Paver

Carpathian Pillar Cap

The versatility of the Carpathian pillar cap is the finishing touch on any of the following pillars; Castlerok 2, Gardenia, Ortana, Ortana Plus or Verazzo



Carpathian Pillar Cap



Adirondak Grey




Morava Taupe


L A Y I N G P A T T E R N S

Presidio Laying Patterns


Pattern A



Pattern B



Pattern C



Stone	Length 1, 2, 3 - 4.84" Width		Length 4, 5, 6 - 6.5" Width	
	%	Ratio	%	Ratio
Pattern A, B, C	60	2	40	1


Note:

- All Presidio patterns above utilize 100% of stones as packaged in combo bundle.
- Pattern C shows use of combo packaging to achieve approx 16" wide soldier course.


* See Page 8 for individual stone dimensions

Villanova Laying Patterns


Pattern A



Pattern B



Pattern C




Stone	Large Rectangle		Square		Small Rectangle	
	%	Ratio	%	Ratio	%	Ratio
Pattern A	42.9	2	28.6	2	28.5	4
Pattern B	50	2	33	2	17	2
Pattern C	55	2	36	2	9	1




A selection of popular stone patterns are displayed here to help inspire your next project. The percentage of each stone unit is given to help with order calculation. Additional patterns are available at www.oakspavers.com.

Colonnade Laying Patterns


Pattern A



Pattern B



Pattern C




Stone	3 x 6 Stone		6 x 6 Stone		6 x 9 Stone		9 x 9 Stone		12 x 9 Stone	
	%	Ratio	%	Ratio	%	Ratio	%	Ratio	%	Ratio
Pattern A	7	2	50	7	43	4				
Pattern B	12	5	12	2	27	3	13	1	36	2
Pattern C					27	2	20	1	53	2




Colonnade Silver sand

Fineline Laying Patterns


Pattern A



Pattern B



Pattern C



Stone	3 x 6 Stone		6 x 6 Stone		6 x 9 Stone		9 x 9 Stone	
	%	Ratio	%	Ratio	%	Ratio	%	Ratio
Pattern A	5	1			55	4	40	2
Pattern B	5	1	10	1	62	4	23	1
Pattern C	3	1	53	9	44	5		




Fineline Silver sand


L A Y I N G P A T T E R N S

Ridgefield Plus Laying Patterns


Pattern A



Pattern B



Pattern C




Stone	4 x 8 Stone		8 x 8 Stone		8 x 12 Stone		12 x 12 Stone		12 x 16 Stone	
	%	Ratio	%	Ratio	%	Ratio	%	Ratio	%	Ratio
Pattern A (Small Combo)	17	8	33	8	50	8				
Pattern B (Large Combo)					22	2	33	2	45	2
Pattern C (Large & Small Combos 1:3)	10	3	19	3	38	4	14	1	19	1




Ridgefield Vaughan

Centurion Laying Patterns


Pattern A



Pattern B



Pattern C



Stone	Double Jumbo		Quad		Jumbo		Standard		Square		Small	
	%	Ratio	%	Ratio	%	Ratio	%	Ratio	%	Ratio	%	Ratio
Pattern A	28	1	19	1	14	1	21	3	9	2	9	4
Pattern B					53	2	26	2	17	2	4	1
Pattern C	23	1	15	1	34	3	28	5				



Centurion Champagne with Onyx border

DETAILS

For more details & design tools, go to www.oakspavers.com

Wherever your design dreams take you, Oaks can boost your project to a whole new level. Our versatile product packaging lends itself to any application your creative genius inspires. Custom designs, specialty pavers, linear banding and even soldier coursing offer unlimited project variations to create a look that is uniquely your own.

Textures

Smooth



The even surface of the smooth texture is attractive and gentle to the touch, but retains the stain and slip-resistant properties you expect.

Tumbled




The tumbled finish offers the weathered look without compromising durability or material consistency.

Natural




Added visual appeal and a more natural texture make this a popular choice for pavers, walls and borders.

Soldier Course (or Banding)



Example A: Single size pavers (usually a rectangle) differing colour, same texture.

Example B: Two or more bands of single size pavers with differing size, colour and texture from 1 band to another.




Pattern Design

Serpentine or Circular





Product Detailing

Linear Banding & Soldier Coursing




Many types of stone layouts are available, such as classic herringbone, regal running bond, or random layout.





Stone Layouts



Custom Designs & Specialty Pavers




Simple linear patterns to more intricate random patterns are easily constructed to create a variety of unique patterns.



Stone Pattern & Designs



Inset Banding & Soldier Coursing



COLOURS

Product Colour and Description

Brown – Comprised of a Brown pigmentation

Buff – Comprised of a Buff pigmentation

Buff Mix – Comprised of a light Buff pigmentation

Champagne – A blend of light Buff & Charcoal with Tan accents

Charcoal – Comprised of a Charcoal pigmentation

Cedar Blend – A blend of Charcoal and Cedar colour pigments

Chartan – A blend of light Charcoal and Tan colour pigments

Dark Oak – Comprised of Brown colour pigmentation

Desert – A blend of Buff and Natural colour pigments

Executive – A blend of light Buff and Charcoal colour pigments

Golden Ash – A blend of Brown, Charcoal & Buff accents

Greyfield – A blend of Charcoal and Natural colour pigments

Greystone – A blend of Natural and light Charcoal colour pigments

Harvest – A blend of Reddish Brown and Buff colour pigments

Havana – A blend of Yellowish Orange & light Grey

Heritage – A blend of Salmon and Charcoal colour pigments

Mahogany – A blend of Charcoal and Reddish Brown colour pigments

Natural – Comprised of a Natural concrete colour

Northern – A blend of Charcoal and Red colour pigments

Onyx – Comprised of a Black colour pigmentation

Sandalwood – A tri-blend of Buff, Red and Charcoal colour pigments

Sandstone – A blend of light Brown and Buff colour pigments

Silversand – A tri-blend of light Buff, Natural and Charcoal colour pigments

Timberwood – A blend of Charcoal and dark Brown colour pigments

Talisman – A blend of Buff and Charcoal colour pigments

Tundra – A blend of light Buff & Brown with Grey accents

Vaughan – A tri-blend of Reddish Brown, Buff and Charcoal colour pigments



Wall: Ortana Greyfield
Accent: Presidio Buff
Paver: Presidio Champagne



Wall: Verazzo Chartan
Accent: Matrix Ravenstone Black
Paver: Villanova Tundra



Wall: Ortana Plus Havana
Accent: Colonnade Onyx
Paver: Colonnade Greyfield

Oaks products offer a multitude of options for your creative pallet. Combine shapes, textures and sizes with the right blend of colour, contrast or complementary patterns for the perfect flow of balance and space.



Wall: Compac Hewnstone Greystone
Accent: Presidio Onyx
Paver: Presidio Marble Grey



Wall: Castlerok 2 Vaughan
Accent: Centurion Onyx
Paver: Ridgefield Vaughan



Wall: Ortana Plus Greyfield
Accent: Centurion Buff
Paver: Ridgefield Executive



Wall: Ortana Desert
Accent: Villanova Onyx
Paver: Villanova Golden Ash



Wall: Fieldstone Silversand
Accent: Centurion Dark Oak
Paver: Centurion Buff



Wall: Fieldstone Sandstone
Accent: Centurion Dark Oak
Paver: Centurion Champagne



Wall: Ortana Plus Chartan
Accent: Colonnade Silversand
Paver: Colonnade Timberwood

CHOOSING THE RIGHT CONTRACTOR

You are about to invest in a long-lasting concrete landscape project. Like any construction project, the quality of the finished product is highly dependent on the quality of the contractor doing the work.

Recommended Contractor Qualifications:

- Member of ICPI and/or Landscape Ontario
- ICPI Certified Concrete Paver Installer
- Project references (recommend installation experience of a minimum of 10,000 square feet)
- 2 year installation warranty
- Verify insurance and applicable licenses



To find out more about ICPI Installer Certification visit www.icpi.org.

GET THE JOB DONE

Build, Join, Fasten, Clean & Seal

Oaks provides you with all the materials needed for your landscaping endeavors. With our full line of accessory products, we provide you with all the trusted components your project may require.



Oaks Sealants

The Oaks sealant line includes sealers to meet any aesthetic need while providing superior surface protection - preventing water, dirt and stains from penetrating. From water based invisible sealers to wet look high gloss sealers, Oaks has the right sealer to complete any project.

All Sealers available in 3.78 litre / 1 gallon and 18.9 litre / 5 gallon container sizes.

Oaks Polymeric Sand

Oaks Polysands are designed to bind firmly and easily together in paver joints, allowing it to harden upon wetting. Oaks Polysand adds stability, performance, and lasting durability to your landscape projects. Ideal for pool areas, sloped surfaces, and replacing existing joints, Oaks Polysand resists all weather conditions, inhibits weed growth & ant colonization and gives you the assurance that your project will last the test of time.

Available in both Grey and Tan

Oaks Cleaners

Efflorescence cleaner is an acidic based cleaner specifically designed to remove efflorescence, latence and accumulated dirt deposits evenly without discolouring the paver surfaces.

Grease & Grime Remover is a readily biodegradable, yet a powerful de-greaser, capable of removing the toughest stains from grease, oil and organic deposits on concrete pavers.

Gum, Paint & Tar Stripper is a powerful stripper capable of removing chewing gum, tar, rubber, wax and tire marks from concrete pavers. Also a great paint and sealant remover that slowly dissolves and emulsifies, allowing easy removal with a jet of water.

Check out our website www.oakspavers.com



GOOD FOR THE ENVIRONMENT, GOOD FOR YOUR JOINTS!



Available in
Granite and
Natural



Made with:

Organic-lock™
The self-healing organic binder

Organic-Lock is the patent pending Plant formula that supplies an elevated pH to its overall system. The resulting high pH prevents seeds from germinating, making for an unfavourable growing medium for nuisance weeds.

For paver joints: 0-9.5mm (0-3/8")

For larger joints: 9.5-50mm (3/8-2")


EnviroSAND^{plus} is a blend of Joint Sand and a swellable gum derived directly from a ground plant. This Biological bond is designed to resist erosion, while remaining completely flexible due to its SELF-HEALING Nature. The Organic Glue has been designed with an elevated pH system to prevent rapid biodegradation as well as preventing weed growth.

EnviroSTONE^{plus} is Scientifically designed to resist erosion, while remaining completely flexible due to its self-healing Organic Glue. Greater integral strength is provided by the larger particle sized pieces of the crushed Stone aggregate.



Also available:

- Butyl tape
- Steel Spikes
- Grids
- Filter Cloths
- Edge Restraints
- Rust Remover
- Dirt & Grease Cleaner
- Rollers
- Sealants
- Efflorescence Cleaner
- Paint, Tar & Rubber Remover
- Polyurethane adhesive
- Water Repellent



PAVER GUIDE

Pg. Paver Product	Bundle Specifications					Per Section Specifications				
	Layers	Sq. Ft.	Lin. Ft	Pieces	Weight	Sections	Sq. Ft.	Lin. Ft.	Pieces	Weight
8 PRESIDIO										
Stone 1	} Combo	64.6	94.02	24	2452	Layer	10.77	7.83 (4-6)	Presidio Layer info as Resource	
Stone 2				24					15.67 (1-3) 4 ea. (1-3)	
Stone 3				24						
Stone 4				12					2 ea. (4-6)	
Stone 5				12					No Sections / Layers Available	
Stone 6				12						
11 AVENUE MATRIX										
8x12	6	77.5	78.7	120	2880	4	19.4	19.7	30	720
12 VILLANOVA										
Large Rectangle	} Combo	76.5	23.5 Large	18 Large	2898	3	25.5	7.8 Large	6 Large	966
Square			23.5 Square	18 Square				7.8 Square	6 Square	
Rectangle	6	76.5	58.5	90	2856	3	25.5	19.5	30	952
16 HYDR'EAU PAVE										
4x4	} Combo	64.1	n/a	6	2232	Layer	10.68	n/a	Hydr'eau Pave Layer info as Resource	
4x8				72					1, 12, 8, 7	
8x8				48					No Sections / Layers Available	
8x12				42						
18 RIDGEFIELD PLUS										
4x8	} Combo	103	157.5***	80 each	3353	1/2 bundle	51.5	78.7***	40 each	1676.5
8x8										
8x12										
12x12 Large Square	8	93	94.5	96	3128	4	23.3	23.6	24	782
8x12	} Lrg. Combo	93	94.5***	32 ea.	3004	4	23.25	23.6***	8 ea.	751
12x12										
12x16										
22 CENTURION										
Double Jumbo	8	90	65.6	72	3060	3	30	21.9	24	1020
Quad	9	90	99	108	3053	4	22.5	24.8	27	763
Jumbo	9	90	98.5	144	2880	4	22.5	24.6	36	720
Standard	8	105.6	152	336	3264	6	17.6	25.3	56	544
Square	9	90	195	432	2830	8	11.3	24.4	54	354
Small	6	59	129	576	1901	8	7.4	16.1	72	237
Jumbo	} Combo	97.0	36.9	54	3096	3	32.33	12.28	18	1033
Standard			49.6	108				16.54	36	
Square			49.6	108				16.54	36	
Small			12.4	54				4.13	18	
24 ARCADIA										
Square	} Combo	93	163 Square	360 Square	3020	8	11.6	20.4 Square	45 Square	378
Small			49 Small	216 Small				6.1 Small	27 Small	
Large	9	82	122	270	2590	5	16.4	24.4	54	518
Circle Kit, wedge & starter	n/a	5	n/a	18	85	n/a	n/a	n/a	n/a	n/a
26 COLONNADE										
3 x 6	7	71	144.7	588	1932	7	10.1	20.7	84	276
6 x 6	9	91	186	378	2474	7	13	26.6	54	353
6 x 9	9	98	132	270	2648	5	19.6	26.4	54	530
9 x 9	9	98	133	180	2750	5	19.7	26.6	36	550
9 x 12	9	104	106	144	2936	4	26	26.6	36	734
28 FINELINE										
6 x 6	9	105	213	432	2900	8	13	26.6	54	363
6 x 9 / 3 x 6	} Combo	113	142 - 6x9	288 - 6x9	3200	8	14	17.7 - 6x9	36	400
			18 - 3x6	72 - 3x6				2.3 - 3x6	9	
9 x 9	9	98	133	180	2750	5	19.7	26.6	36	550
29 CLASSIC SERIES										
4 x 8	9	106	157	477 Full/18 Half	2900	6	17.7	26.2	79 Full/3 Half	483
8 x 8	8	104	157	240	2900	6	17.3	26.2	40	483
12 x 12	9	105	106	108	3024	4	26.3	26.5	27	756
4 x 8 Herringbone	9	82.4	112	342 Full/54 Half	2325	No Sections available in Herringbone bundle				
30 CASSINA/CASSINA PLUS	2	52	52	78	1716	3	17.3	17.3	26	572
36 ENVIRO PAVE	6	78	118	180	2731	6	13	19.7	30	455
37 TURF SLAB	6	75	59	30	1860	No Sections available				

* Stones 1-3 are the 4.84" width stones.

** Stones 4-6 are the 6.5" width stones.

*** All three Ridgefield Plus stones used as a sailor soldier course.

Please note: All photos contained in this catalogue are artistic representations. Colour samples contained in this catalogue should only be used as a guide. Colours should always be chosen and selected from actual samples. Contact your local dealer or Oaks representative for samples and colour availability in your area.

WALL GUIDE

Pg. Wall Product	Bundle Specifications					Per Section Specifications					
	Layers	Sq. Ft.	Lin. Ft	Pieces	Weight	Sections	Sq. Ft.	Lin. Ft.	Pieces	Weight	Wt/Piece
40 FIELDSTONE											
90mm Unit	6	21.5	73	72	2575	1/2 bundle	10.75	36.5	36	36 ave.	
135mm Unit	4	21.5	48.7	48	2580	1/2 bundle	10.75	24.4	24	54 ave.	
Coping Unit	6	8.9	36.2	24	1344	2	4.45	18.1	12		56/piece
42 COMPAC HEWNSTONE											
Standard Unit	5	40	60	40	3080	layer	8	12	8		77/piece
Corner	2	37.3	21.3 vertical	32	1344	No Sections available for corner units					42/piece
Coping Unit - 4"	6	12	36	24	1872	No Sections available for coping units					78/piece
44 VERAZZO											
Large	} Combo	4	26.7	20	2790	1/2 bundle	13.3	13.3	10	1395	
Medium			16.7	20				8.3	10		
Small			10	20				5	10		
Corner	2	29.5	18 vertical	36	1714	No Sections available for corner units					47.6/piece
Coping Unit - 3"	7	21	84	56	3024	No Sections available for coping units					54/piece
45 CASTLEROK 2											
Standard Unit	6	32	96	96	2976	layer	5.33	16	16		31/piece
46 ORTANA PLUS											
Standard Unit	4	19.4	39.4	60	2760	5	3.9	7.9	12		46/piece
Tapered Unit	4	19.4	39.4	60	2400	3	6.6	13.1	20		40/piece
90° Corner	3	19.4	11.8 vertical	24	1128	No Sections available for corner units					47/piece
Extended Unit (Custom Order)	3	9.7	19.7	30	2070	5	2.4	4.9	6		69/piece
1' Coping Unit	6	17.7	72	72	2520	4	4.4	18	18		35/piece
48 ORTANA											
Standard Unit	3	19.4	39.4	60	2760	4	4.9	9.9	15		46/piece
Tapered Unit	3	19.4	39.4	60	2400	No Sections available for tapered units					40/piece
90° Corner	4	19.4	11.8 vertical	24	1128	No Sections available for corner units					47/piece
Extended Unit (Custom Order)	3	9.7	19.7	30	2070	5	2.4	4.9	6		69/piece
1' Coping Unit	6	17.7	72	72	2520	4	4.4	18	18		35/piece
2' Coping Unit	6	11.8	48	24	1680	2	5.9	24	12		70/piece
50 GARDENIA											
Standard Unit	4	31	63	96	2064	layer	7.75	15.74	24		21.5/piece
9" Coping Unit	6	12	48	24	1272	2	6	24	12		53/piece
12" Step Tread	6	12	48	24	1850	2	6	24	12		77/piece
90° Corner	2	19.4	12 vertical	24	1080	No Sections available for corner units					45/piece
52-53 CASTELO/MODECO											
Standard Unit	6	27.9 Straight 31.7 Outside 24.1 Inside	95.7 Straight 108.7 Outside 82.7 Inside	180	2196	layer	4.7 Straight 5.3 Outside 4 Inside	16 Straight 18 Outside30 13.8 Inside			12.2/piece
Coping Unit	6	27.9 Straight 31.7 Outside 24.1 Inside	95.7 Straight 108.7 Outside 82.7 Inside	180	2457	layer	4.7 Straight 5.3 Outside 4 Inside	16 Straight 18 Outside30 13.8 Inside			13.7/piece
54 ALTERRA											
Standard	3	12	19.7	6	2634	2	6	9.8	3	1317	439
Extended	3	6	9.8	3	2682	No Sections available for Extended units					894
90° Corner	3	16.7	27.6	6	2364	2	8.4	13.8	3	1182	394
Coping	3	12	19.7	6	2652	2	6	9.8	3	1326	442
End Coping	3	16.7	27.6	6	2364	2	8.4	13.8	3	1182	394
57 CARPATHIAN PILLAR CAP											
22x22 (nominal)	4	n/a	n/a	28	2380	7 layers	n/a	n/a	4		85/piece
Pg. Curb Product	Bundle Specifications					Per Section Specifications					
	Layers	Sq. Ft.	Lin. Ft	Pieces	Weight	Sections	Sq. Ft.	Lin. Ft.	Pieces	Weight	
55 Castlerok 2	6	32	96	96	2976	Layer	5.33	16	16		31/piece
Gardenia Curb-N-Wall	4	16	31.5	16	1424	No Sections available in Gardenia Curb-N-Wall					89/piece
Metre Curb	4	n/a	79	24	2688	No Sections available in Metre Curb					112/piece

ONLINE TOOLS

new

Check out our **NEW** website @
www.oakspavers.com

Our website is designed with intuitive menus, helpful directions and beautiful photographs showing real-world applications of our products.

There are easy-to-navigate multi-media features, FAQ's, and even a Stone Calculator to help you plan your next project!



Homeowners can:

- Locate a Dealer / Contractor
- Research our entire product line
- Get design ideas
- Get practical tips to realize any design goal
- Download or order a catalogue



Product Info

Our product pages provide you with everything you need; images, patterns, colours, sizes and specifications – all accessible from one simple location.



Brochures & Literature

On our brochures & literature page you can download our current brochure or view it online. You can also order a printed catalogue by filling out the request form.

Visit our NEW website for additional information, images and inspiration!



Image Gallery

Our image gallery is categorized for ease of use and displays the images as a slide show. Find a picture you like and you can email it or share it on your favorite social network.



Laying Patterns

A selection of paver and wall patterns available to inspire and assist you in the design and installation of any size project.



Dealer Location

On our Dealer Locator page you can search for the dealer closest to you by entering your location. The dealer nearest to you will be conveniently mapped out for you.



Stone Calculator

By simply selecting your product choice, pattern and project dimensions our calculator provides you with the proper amount of Large or Small pavers to accommodate your project.

Quick Links Tool Bar - makes navigating through our website simple.







ARCHITECTURAL LANDSCAPE PRODUCTS



Oaks Concrete Products have gained the reputation of innovation and versatility in the industrial, commercial and institutional (ICI) market. Our commitment to being supplier of choice drives the development and manufacturing of a wide variety of ICI products to meet all your structural and aesthetic design requirements.

Stone - Artiste Harbour Mist, Brick - Harmony Beachstone, Paver - Villanova Tundra, Planter - Verazzo Chartan



**BRAMPTON
BRICK**

AN INTEGRATED MASONRY & LANDSCAPE SOLUTIONS COMPANY.

Brampton Brick has provided complete masonry and landscape solutions since 1871. From the ground up, our brick and stone materials will masterfully refine your outdoor living spaces. Combining the various perspectives of Brampton Brick and Oaks Concrete Products, we provide you a wide selection of unique stone products, brickwork, pavers, walls, environmental products and architectural accessories that are durable and practical, yet established and prestigious. With Brampton Brick as your chosen masonry and landscape product supplier, you'll have everything you need in the design of your outside property from start to finish.



**1.800.GO.BRICK (462.7425)
bramptonbrick.com**



BRAMPTON BRICK

Brampton Brick Limited

225 Wanless Drive
Brampton, Ontario
L7A 1E9

To find a dealer nearest you please visit:

www.oakspavers.com

or call us toll free at:

1.800.709.OAKS (6257)

Oaks Concrete Products

Brampton

Petworth Road
West of Hurontario Street
Brampton, ON
Phone: (905) 843-7335
Fax: (905) 840-6461

Markham

455 Rodick Road
Markham, ON
L6G 1B2
Phone: (905) 475-5900
Fax: (905) 479-2894

Milton

475 Harrop Drive
Milton, ON
L9T 3H3
Phone: (905) 875-0035
Fax: (905) 878-5301

Montreal

1 Place du Commerce, suite 420
Verdun (Nuns' Island), QC
H3E 1A2
Phone: (514) 768-1325
Fax: (514) 768-5973

Detroit

51744 Pontiac Trail
Wixom, MI
48393
Phone: (248) 684-5004
Fax: (248) 684-2726

Farmersburg

1256 East County Rd. 950 North
Farmersburg, IN
47850
Phone: (812) 397-2190
Fax: (812) 397-5183

Distributed by:

Members of:

